




LUNAWOOD

Lunawood Collection



More information, inspiration
and installation instructions

LUNAWOOD.COM





NORDIC LUNAWOOD THERMOWOOD

Sustainable Lunawood Thermowood creates a connection between urban life and nature. Grown and strengthened nearly 80 years in the harsh climate of the Scandinavia, the renewable and PEFC -certified forest provides us the best wood material that will last for decades. We use patented thermal modification process that respects the natural properties of the wood. The raw material is processed using only heat and steam – no chemicals are used. All our products are designed and manufactured in Finland. They create opportunities for architects and designers to use wood in an innovative and natural way.



DIMENSIONAL STABILITY

Retains its shape better than untreated wood and therefore a perfect choice for demanding applications



ALL CLIMATES

Can be used both indoors and outdoors in all climate conditions



THERMAL INSULATION

Decreased heat transmission compared to untreated wood



WEATHER ENDURANCE

Durable and weather resistant, Lunawood Thermo-D has Class 2 decay resistance



RESIN FREE

Resin is removed during the Thermal modification process



NON TOXIC

Completely natural and toxic-free material



SUSTAINABLE FORESTRY

Raw material is grown in sustainable Nordic forests



CERTIFIED QUALITY

Trademarked product produced by patented and annually audited process



Project: Project Ö, Finland
Architect: Alekski Hautamäki

LUNAWOOD COLLECTION

Lunawood Collection is based on Scandinavian design combined with the best technical properties of Thermowood - all to meet the needs of modern architecture. It is designed and developed in Finland in cooperation with international professionals. Lunawood Collection contains versatile selected tongue and groove profiles for cladding and panelling, battens for decorative wood structures and surfaces and decking boards with hidden fixing system. The products are made of Nordic Pine and Spruce. All Lunawood Collection profiles are treated LunaThermo-D which means they are durable in all climate conditions.






















Digital Design Tools

We provide 3D BIM-objects and rendering Images to architects and designers for designing with Lunawood's Thermowood products.


Download the free digital design tools using the qr-code or go to **LUNAWOOD.COM**




















CLADDINGS & PANELLING

	PRODUCT NAME	SPECIES	LENGTH (m)	m/ m ²	DIGITAL DESIGN TOOLS
	Luna UTS 19x117	Nordic Pine	3,0 / 3,6-5,1	9,35 m	●
	Luna UTV 19x117	Nordic Pine	3,0 / 3,6-5,1	9,35 m	●
	Luna UTV 19x140	Nordic Pine	3,6-5,1	7,69 m	●
	Luna TGV 19x140	Nordic Spruce	3,6-5,1	7,69 m	●
	Luna UTV Hidden Nailing 20x142	Nordic Spruce	3,6-5,1	8,26 m	
	Luna UYLS 20x140	Nordic Pine	3,6-5,1	7,69 m	
	Luna Panel System 19x68	Nordic Pine	3,0-4,8	17,54 m	
	Luna Panel System 19x117 END-MATCHED	Nordic Pine	3,0 / 3,6-5,1	9,43 m	●
	Luna Panel System 19x165 END-MATCHED	Nordic Pine	3,6-5,4	5,75 m	
	Luna Panel System 42x68	Nordic Pine	3,0 / 3,6-4,2	18,34 m	
	Luna Triple 32x140	Nordic Spruce	3,6-5,4	7,57 m	●
	Luna Trio 26x92	Nordic Pine	3,0-4,5	11,90 m	
	Luna Femma 26x142	Nordic Spruce	3,9-5,4	7,46 m	
	Luna Dual 26x142	Nordic Spruce	3,9-5,4	7,57 m	
	Luna Layer 19x142 Brushed	Nordic Spruce	3,6-5,1	7,46 m	
	Luna Layer 19x188 Brushed	Nordic Spruce	3,6-5,4	5,55 m	
	Luna Vivo 19x188	Nordic Spruce	3,6-5,4	5,62 m	
	Luna Vivo Groove 19x188	Nordic Spruce	3,6-5,4	5,62 m	
	Luna Aalto 32x142	Nordic Pine	3,6-5,1	7,46 m	
FOR OUTDOOR USE ONLY					
	Luna Pro Coated UTV 20x142 Hidden Nailing Brushed Black	Nordic Spruce	3,6-5,1	8,26 m	●
	Luna Pre-greyed UTV 20x142 Hidden Nailing Brushed	Nordic Spruce	3,6-5,1	8,26 m	

BATTENS



Bedford Center Office in South Africa by Studio 121 Architects

	PRODUCT NAME		SPECIES	LENGTH (m)	DECKING joist spacing	DIGITAL DESIGN TOOLS
	Luna SHP 19x92		Nordic Pine	3,0/3,6-4,5		
	Luna SHP 19x117		Nordic Pine	3,0/3,6-5,1		
	Luna SHP 19x140		Nordic Pine	3,6-5,1		
	Luna SHP 26x92		Nordic Pine	3,0/3,6-4,5	450 mm	
	Luna SHP 26x117		Nordic Pine	3,0/3,6-5,4	450 mm	
	Luna SHP 26x140		Nordic Pine	3,6-5,1	450 mm	
	Luna SHP 40x185		Nordic Pine	3,6-5,4	600 mm	●
	Luna SHP 42x42		Nordic Pine	3,0/3,6-4,8		●
	Luna SHP 42x68		Nordic Pine	3,0/3,6-4,2		●
	Luna SHP 42x92		Nordic Pine	3,0/3,9-5,4	600 mm	●
	Luna SHP 42x117		Nordic Pine	3,6-5,4	600 mm	
	Luna SHP 42x140		Nordic Pine	3,6-5,4	600 mm	●
	Luna Parallelogram SSS 20x92		Nordic Pine	3,0/3,6-4,5		
	Luna Parallelogram SSS 26x68		Nordic Pine	3,0/3,6-4,8		
	Luna Half Parallelogram HSS 28/42x42		Nordic Pine	3,0/3,6-4,8		
	Luna Post 88x88	GLUED	Nordic Pine	3,0/4,2		
	Luna Post 140x140	GLUED	Nordic Pine	3,0/4,2		

DECKING



	PRODUCT NAME	SPECIES	LENGTH (m)	m/ m ²	DECKING joist spacing	DIGITAL DESIGN TOOLS
	Luna Deck 2 Profix 2 26x92	Nordic Pine	3,0 / 3,6-4,5	10,2 m (6 mm GAP)	450 mm	●
	Luna Deck 2 Profix 2 26x117	Nordic Pine	3,0 / 3,6-5,4	8,13 m (6 mm GAP)	450 mm	●
	Luna SHP Profix 2 26x117	Nordic Pine	3,0 / 3,6-5,4	8,13 m (6 mm GAP)	450 mm	
	Luna SHP Profix 2 26x140	Nordic Pine	3,6-5,1	6,85 m (6mm GAP)	450 mm	●
	Luna SHP Profix 2 26x140 Brushed	Nordic Spruce	3,9-5,4	6,85 m (6mm GAP)	450 mm	
	Luna SHP Profix 3 32x166 Brushed	Nordic Spruce	3,9-5,4	5,81 m (6mm GAP)	600 mm	
	Luna SHP Profix 3 40x185	Nordic Pine	3,6-5,4	5,24 m (6 mm GAP)	600 mm	

LUNAWOOD DECKING FIXINGS

<p>Profix 2 Installation box</p> <p>2,2 clips / m 100 pcs Profix 2 100 pcs screws (4,2x45) 1 torx TX20</p>	<p>Profix 2</p> <p>2,2 clips / m 200 pcs/box</p>	<p>Profix 2 Plus</p> <p>2,2 clips / m 100 pcs/box</p>	<p>Profix 3</p> <p>1,6 clips / m 50 pcs/box</p>
---	---	--	--



Lunawood is a pioneer and global market leader of sustainable wood solutions. We love the forest, its untamed freedom, and its incomparable strength. Our mission is to reconnect nature with people in urban environments. We make the soothing effect of the forest available to all.

Our mills in Finland transform the very best Nordic pine and spruce into beautiful and long-lasting Thermowood. It is the ideal foundation and the perfect material for an ecological and healthy way of designing, building, and living.

Every Lunawood product is an authentic piece of Nordic forest and is the result of years of dedication to sustainability. Non-toxic Thermowood is suitable for all climates and types of weather. It is dimensionally stable and resin-free. These unique properties inspire architects and builders to create amazing and versatile projects around the world.

Lunawood Thermowood production started in 2002. Today company employs 135 professionals in Finland, at its production units in Iisalmi, Kaskinen and Joensuu, as well as at its head office in Lahti and in its main export markets. In 2020 Lunawood's turnover was EUR 56 million.

Certified quality



LUNAWOOD.COM

This brochure is provided for informational purposes only and no liability or responsibility of any kind is accepted by Lunawood or its representatives, although Lunawood has taken reasonable efforts to verify the accuracy of any advice, recommendation or information. Lunawood reserves the right to alter its products, product information and product range without prior notice.