

HPD UNIQUE IDENTIFIER: 28684

CLASSIFICATION: 09 83 00 Acoustic Finishes

PRODUCT DESCRIPTION: BAUX Acoustic Wood Wool is an environment-friendly, recyclable material made from wood wool, cement and water.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold Level</p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances except SC substances characterized according to SC guidance.</i></p> <p>Screened <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.</i></p> <p>Identified <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier except SC substances identified according to SC guidance.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BAUX ACOUSTIC WOOD WOOL [PORTLAND CEMENT LT-P1 | CAN | END SC:WOOD / FIR Not Screened WATER (PRIMARY CASRN IS 7732-18-5) BM-4 CALCIUM CARBONATE BM-3]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

No notes needed.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Eurofins Indoor Air Comfort GOLD - certified product
Sustainable forestry: FSC Certification - Chain of Custody (COC)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-06-13

PUBLISHED DATE: 2022-06-13

EXPIRY DATE: 2025-06-13

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

BAUX ACOUSTIC WOOD WOOL

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: “No Residuals or Impurities are expected to be present at or above Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS.”

OTHER PRODUCT NOTES: n.a.

PORTLAND CEMENT

ID: 65997-15-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-14 6:07:35**

#: **44.0000 - 44.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Fulfills the requirements for sulfate resisting Portlandcement type SR 3 in EN 197-1 Cement-Part 1: Composition, specifications and conformity criteria for common cements. Notified product certification body No 0402 (SP Technical Research Institute of Sweden) has issued the certificate of constancy of performance with certificate No. 0402-CPR-101334. The number of Declaration of Performance is 0402-DoPSE13-101334. P-marked, due to Swedish supplementary requirements, according to certification rule CR 058 (by SP Certifying) with certificate No. 101335 (a Swedish technical approval), for MH (moderate heat of hydration) according to SS 134202:2006, LA (low alkali) according to SS 134203:2014.

SC:WOOD / FIR

ID: SC:Bio

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**

#: **37.0000 - 37.0000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Absorbent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES:
Version: SCBioMats/2018-02-23
Category: Tree-based materials
Identifier: Fir

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. BAUX wood fibers are certified – FSC® and PEFC™ – guaranteeing that it can be traced back to responsible forestry operations. The wood is collected from the Swedish forest in the direct surrounding of the factory in order to minimise negative CO2 emissions caused by longer transport distances.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-14 6:07:35**

%: **10.0000 - 10.0000** GS: **BM-4** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

CALCIUM CARBONATE

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-14 6:07:36**

%: **9.0000 - 9.0000** GS: **BM-3** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Additive to the cement that reduce heat during drying.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Eurofins Indoor Air Comfort GOLD - certified product		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2017-09- 27	EXPIRY DATE:	CERTIFIER OR LAB: Eurofins Product Testing A/S
CERTIFICATION AND COMPLIANCE NOTES: All test results are calculated as specific emission rate, and as extrapolated air concentration in the European Reference Room (CEN/TS 16516, AgBB, EMICODE, M1 and Indoor Air Comfort). The testing methods are accredited on line with EN ISO/IEC 17025 by DANAK (no. 522). This accreditation is valid worldwide due to mutual approvals of the national accreditation bodies (ILAC/IAF, see also www.eurofins.com/galten.aspx#accreditation).			
SUSTAINABLE FORESTRY	FSC Certification - Chain of Custody (COC)		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Jönköping, Sweden CERTIFICATE URL:	ISSUE DATE: 2019-10- 19	EXPIRY DATE: 2024- 11-11	CERTIFIER OR LAB: Bureau Veritas Certification
CERTIFICATION AND COMPLIANCE NOTES:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PATTEX NO MORE NAILS WATER RESISTANT (HENKEL)	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Mounting can be done with screws or with adhesive.	

Section 5: General Notes

No notes

MANUFACTURER INFORMATION

MANUFACTURER: **BAUX AB**
 ADDRESS: **Sankt Eriksgatan 106**
Stockholm Stockholm 11331, Sweden
 WEBSITE: **www.baux.se**

CONTACT NAME: **Fredrik Franzon**
 TITLE: **Head of Product**
 PHONE: **08210707**
 EMAIL: **info@baux.se**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.