

CIMENTO®



CIMENTO® FORMELLE CANTON

Product data sheet

 **EPD**
INTERNATIONAL EPD SYSTEM

Description

CIMENTO® FORMELLE CANTON are a **CIMENTO®** product designed to allow the covering of existing structures. The are composed of a cement conglomerate to which a fiberglass net is added. **CIMENTO® FORMELLE CANTON** is an incombustible product.

Destination of use

The **CIMENTO® FORMELLE CANTON** slab for the covering vertical surfaces is intended for an exclusive use in internal ambients; to preserve the aesthetic and functional conditions of the **CIMENTO®** surface for as long as possible, it is advisable to refer to the methods and precautions of use as indicated on the maintenance and installation manual for **CIMENTO® FORMELLE CANTON**.

Notes

The installation must be carried out by personnel specialized, and surfaces anchoring the panels to the underlying structure with the use of specific adhesives and following the instructions specifically indicated in the respective technical data sheets.

Cleaning e Maintenance

Do not use chemicals, abrasive cleaners, solvents, and polishing products. The **CIMENTO®** surface is treated with a protective system that prevents the penetration of dirt, be it dry, wet, or greasy, and facilitates cleaning operations.

However, the characteristic coexistence of smooth and porous parts requires some simple precautions during ordinary cleaning. It is important to prevent dirt and deposits from being moved and accumulating in the porous portions, especially in the case of moist or greasy substances.

For routine maintenance we recommend the following operations, to be carried out in the specified:

1. Preliminarily remove all dry deposits with a vacuum cleaner equipped with a soft bristle brush, to remove dust and solid residues from both smooth and porous areas of the surface;
2. Rub the surface with a dry microfibre cloth or moistened with water, then dry, if necessary, with an additional clean and dry microfibre cloth to avoid leaving marks;
3. If the surface comes into contact with staining substances, act on the affected area with a cloth moistened with ammonia solutions or similar products (avoiding degreasers that require abundant rinsing) then dry with a clean, dry cloth. Do not use aggressive acid-based, solvent-based, or abrasive agents.

Any variations with respect to the sample are not to be considered defects but as a characteristic of the product and its manual processing which can cause variations in tone. Therefore, Sai Industry srl does not assume any responsibility in case of variations; they are not to be considered defects and are not covered by warranty, in particular for products purchased at different times.

For detailed information on installation, design and maintenance, please refer to the appropriate manuals. Whenever needed contact the **CIMENTO®** sales office.

Storage

Protect edges and corners from knocks with special protections to avoid possible chipping.

Protect the sheet from contacts with staining substances, blades, and sharp objects, or scratches that could damage the **CIMENTO®** finish by storing it in the appropriate packaging.

Store the on a flat, levelled, and dry surface, ensuring a homogeneous support over the entire surface.

It is possible to stack packages of the same size. Do not overlap the packaging with other materials that may damage the packaging or the sheets.

Characteristics of the CIMENTO® FORMELLE CANTON

The **CIMENTO® FORMELLE CANTON** are available in three different models or, upon customer request, they can be made according to the project specifications.

dimensioni	peso	spessore max
Formelle Canton	0,412 kg	20 mm


Finishes and colors available

CIMENTO® FORMELLE CANTON are available in a wide range of standard colors obtained with the use of natural oxide-based pigments, thanks to which a high color stability to light is achieved.


NEUTRAL COLORS




CL01



CL02




CL04



CL05




CL06




CL10

COLOR CHART




CL45



CL46




CL47



CL48




CL49




CL21



CL50




CL51




CL52




CL36




CL54




CL55




CL56




CL26




CL44



CL57






CL58



CL59

Technical drawing of a square frame. The drawing shows a square with a smaller square inside, connected by diagonal lines. The outer square has a side length of 200 units, with a tolerance of +0,00 / -1,00. The inner square has a side length of 200 units, with a tolerance of +0,00 / -1,00. The distance between the outer and inner squares is 2 units. The drawing is labeled with 'A' at the top and bottom, and 'R1' on the right side.



REV	DATE	DRAWER	DESCRIPTION						NOTICE	
<div>CIMENTO®</div> <div>Via J.F. Kennedy, 107 30027 San Donà di Piave VENEZIA - ITALY T. +39 0421 65442 F. +39 0421 308084 info@cimento.tech www.cimentocollection.com</div>			DESCRIPTION: FORMELLA CANTON-CIMENTO-CIMENTO - VEDI TABELLA-DIM.200x200x20H							
			MATERIAL: CIMENTO		FINISHING: CIMENTO - VEDI TABELLA					
GENERAL TOLERANCE UNI EN 22768 m			MAX LINEAR DEVIATION mm			DATE: 20/02/2023	APPROVED:	WEIGHT: N/A	AREA mq:	
0.5-3 ± 0.1	3-6 ± 0.1	6-30 ± 0.2	30-120 ± 0.3	120-400 ± 0.5	400-1000 ± 0.8	1000-2000 ± 1.2	SCALE: 1 : 2	N°TAV. 1 FORM. TAV. A3	REFERENCE:	
Reproduction or publication of this document, in whole or in part, shall be subject to prior authorization by SAI Industry srl (Art. 2578 of Law no. 633 dated 22/04/41 of the C.C.).						DRAWER: MN				CODE: CCNEQ01-V00

CONTACTS

HEADQUARTER/SHOWROOM

Via J.F. Kennedy, 107/a - 30027
San Donà di Piave - VE - IT
Tel. +39 0421 65422

SHOWROOMS

IT

Via Borgogna, 7 - 20122
Milano - IT
showroom@cimento.tech
Tel. +39 02 82772692

CH

Piazza Santa Lucia, 7 - 6900
Massagno LVGA- CH

UK

The Cube Building | 17-21
Wenlock Road - N1 7GT
London- UK

info@cimento.tech



www.cimento.tech

Tutte le informazioni contenute in questa brochure sono soggette a cambiamenti. Tutti i diritti sono riservati. Nessuna parte di questa brochure può essere riprodotta senza il nostro permesso scritto.

All the information on this brochure are subject to changes. All rights reserved. Reproduction in whole or in part of the contents of this brochure is prohibited without our written consent.

Rev. 23mag2025

©CIMENTO®



EPD
INTERNATIONAL EPD SYSTEM